	Application No.	Applicant(s)
Notice of Allowability	10/827,362	 SUZUKI, TAKESHI
	Examiner	Art Unit
	Crain A. Bonnes	2627
	Craig A. Renner	2627
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
This communication is responsive to <u>paper(s) filed 07 June 2007</u> .		
② ☐ The allowed claim(s) is/are 1-12.		
 Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
⑤ ⊠ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b)⊠ including changes required by the attached Examiner's Amendment / Comment o r in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary Paper No./Mail Dat	
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. 🛛 Examiner's Amenda	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. Other	

Application/Control Number: 10/827,362

Art Unit: 2627

claim.

1. Claim 1 is generic and allowable over the prior art of record. Therefore, the restriction requirement, as set forth in the Office action mailed on 04 January 2007, has been reconsidered in view of the allowability of claims to the elected invention pursuant to MPEP § 821.04(a). The restriction requirement is hereby withdrawn as to any claim that requires all the limitations of an allowable generic claim. Claims 4, 5, and 8, directed to one or more non-elected species, are no longer withdrawn from

In view of the above noted withdrawal of the restriction requirement, applicant is advised that if any claim presented in a continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application.

consideration because these claims require all the limitations of an allowable generic

Once a restriction requirement is withdrawn, the provisions of 35 U.S.C. 121 are no longer applicable. See *In re Ziegler*, 443 F.2d 1211, 1215, 170 USPQ 129, 131-32 (CCPA 1971). See also MPEP § 804.01.

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Application/Control Number: 10/827,362 Page 3

Art Unit: 2627

Authorization for this examiner's amendment was given in a telephone interview with David P. Emery on 10 August 2007.

3. The application has been amended as follows:

IN THE TITLE:

The title has been amended to read as follows:

--AUTOMATIC MEDIUM CHANGER WITH CARRIER-PRESSURE-OPERATED

MECHANICAL AUTO LOCK/UNLOCK MECHANISM--.

IN THE SPECIFICATION:

The 3rd full paragraph on page 17 has been amended to read as follows:

The motor M2 serves to drive the conveying roller, the conveying belt, the pickup hand or the like in the carrier 6 to thereby load or correct the information storage medium into or from the medium storing unit 4 or the read/write unit 5. As same as the aforementioned motor M1, the motor M2 is drive-controlled by an instruction from the CPU via the I/O circuit 17 and the shaft control driver <u>-12-21</u>.

Application/Control Number: 10/827,362 Page 4

Art Unit: 2627

4. The replacement drawing was received on 07 June 2007. This drawing, however, is not acceptable as it does not comply with 37 CFR 1.84(p)(4). That is, the same reference numeral has been used to identify different parts in the drawing.

- 5. The following changes to the drawings have been approved by the examiner and agreed upon by applicant:
- In FIG. 4, the left-most reference numeral "12" (drawn to the "SHAFT CONTROL DRIVER") will be changed back to reference numeral --21-- in order to avoid using the same reference numeral for different parts and comply with 37 CFR 1.84(p)(4).

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Craig A. Renner whose telephone number is (571) 272-7580. The examiner can normally be reached on Tuesday-Friday 9:00 AM - 7:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hoa T. Nguyen can be reached on (571) 272-7579. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2627

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Craig A. Renner Primary Examiner

Art Unit 2627

CAR